

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: 16122700A10053\16122500A15482\16123000A16956

Trade Mark		Carrier		
Model: Indoor		42QTD018R8S	42QZL018R8S	42QSS018R8S
Model: Outdoor		38QUS018R8S	38QUS018R8S	38QUS018R8S
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	57/65	57/65	60/65
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	1.35	1.35	1.35
CO2 equivalent	[tonnes]	0.911	0.911	0.911
SEER	[W/W]	6.9	6.9	6.3
Energy efficiency class in cooling		A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	264	264	289
Design load in cooling mode (Pdesign)	[kW]	5.1	5.1	4.9
SCOP (average heating season)	[W/W]	4.0	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	1645	1645	1645
Warmer heating season		————	————	————
Colder heating season		————	————	————
Design load in heating mode (Pdesign)	[kW]	4.7	4.7	4.7
Declared capacity at reference design condition (heating average season)	[kW]	3.919	3.988	3.973
Back up heating capacity at reference design condition (heating average season)	[kW]	0.781	0.712	0.727
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: 16122700A10053\16122500A15482\16123000A16956

Trade Mark		Carrier		
Model: Indoor		42QTD024R8S	42QZL024R8S	42QSS024R8S
Model: Outdoor		38QUS024R8S	38QUS024R8S	38QUS024R8S
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	61/67	62/67	63/67
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	1.5	1.5	1.5
CO2 equivalent	[tonnes]	1.012	1.012	1.012
SEER	[W/W]	6.1	6.3	6.5
Energy efficiency class in cooling		A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	405	392	380
Design load in cooling mode (Pdesign)	[kW]	7.05	7.05	7.05
SCOP (average heating season)	[W/W]	4.0	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	1855	1855	1750
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	5.3	5.3	5.0
Declared capacity at reference design condition (heating average season)	[kW]	5.031	4.319	4.90
Back up heating capacity at reference design condition (heating average season)	[kW]	0.269	0.981	0.100
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>				
<p>Contains fluorinated greenhouse gases.</p>				
<p>Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden</p>				
<p>Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong</p>				
<p>[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.</p>				

Note: Please check the model information above according to the model name on the nameplate.

OWNER'S MANUAL - PRODUCT FICHE				
RELATED OWNER'S MANUAL CODE: 16122700A10053\16122500A15482\16123000A16956				
Trade Mark		Carrier		
Model: Indoor		42QTD036R8S	42QZL036R8S	42QSS036R8S
Model: Outdoor		38QUS036R8S	38QUS036R8S	38QUS036R8S
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	62/69	63/69	65/69
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	2.4	2.4	2.4
CO2 equivalent	[tonnes]	1.62	1.62	1.62
SEER	[W/W]	6.1	6.6	6.1
Energy efficiency class in cooling		A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	602	557	602
Design load in cooling mode (Pdesign)	[kW]	10.5	10.5	10.5
SCOP (average heating season)	[W/W]	4.0	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	3045	3045	2940
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	8.7	8.7	8.4
Declared capacity at reference design condition (heating average season)	[kW]	7.85	8.00	7.719
Back up heating capacity at reference design condition (heating average season)	[kW]	0.850	0.700	0.681
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO <sub>2</sub> , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

OWNER'S MANUAL - PRODUCT FICHE				
RELATED OWNER'S MANUAL CODE: 16122700A10053\16122500A15482\16123000A16956				
Trade Mark		Carrier		
Model: Indoor		42QTD036R8S	42QZL036R8S	42QSS036R8S
Model: Outdoor		38QUS036R8T	38QUS036R8T	38QUS036R8T
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	62/69	63/69	65/69
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	2.4	2.4	2.4
CO2 equivalent	[tonnes]	1.62	1.62	1.62
SEER	[W/W]	6.1	6.5	6.2
Energy efficiency class in cooling		A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	602	565	593
Design load in cooling mode (Pdesign)	[kW]	10.5	10.5	10.5
SCOP (average heating season)	[W/W]	4.0	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	2835	3045	2800
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	8.1	8.7	8.0
Declared capacity at reference design condition (heating average season)	[kW]	7.108	7.684	7.500
Back up heating capacity at reference design condition (heating average season)	[kW]	0.992	1.016	0.500
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO <sub>2</sub> , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: 16122700A10053\16122500A15482\16123000A16956				
Trade Mark		Carrier		
Model: Indoor		42QTD048R8S	42QZL048R8S	42QSS048R8S
Model: Outdoor		38QUS048R8T	38QUS048R8T	38QUS048R8T
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	65/75	66/75	67/75
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	2.8	2.8	2.8
CO2 equivalent	[tonnes]	1.89	1.89	1.89
SEER	[W/W]	6.1	6.1	6.1
Energy efficiency class in cooling		A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	803	803	803
Design load in cooling mode (Pdesign)	[kW]	14.0	14.0	14.0
SCOP (average heating season)	[W/W]	4.0	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	3850	3885	4130
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	11.0	11.1	11.8
Declared capacity at reference design condition (heating average season)	[kW]	10.00	10.00	10.50
Back up heating capacity at reference design condition (heating average season)	[kW]	1.000	1.100	1.300
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: 16122700A10053\16122500A15482\16123000A16956

Trade Mark		Carrier		
Model: Indoor		42QTD060R8S	42QZL060R8S	42QSS060R8S
Model: Outdoor		38QUS060R8T	38QUS060R8T	38QUS060R8T
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	65/77	68/77	71/77
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	2.95	2.95	2.95
CO2 equivalent	[tonnes]	1.99	1.99	1.99
SEER	[W/W]	6.1	6.1	6.1
Energy efficiency class in cooling		A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	884	884	884
Design load in cooling mode (Pdesign)	[kW]	15.4	15.4	15.4
SCOP (average heating season)	[W/W]	4.0	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	4130	4130	4200
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	11.8	11.8	12.0
Declared capacity at reference design condition (heating average season)	[kW]	11.80	11.80	12.00
Back up heating capacity at reference design condition (heating average season)	[kW]	0.000	0.000	0.000
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>				
<p>Contains fluorinated greenhouse gases.</p>				
<p>Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden</p>				
<p>Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong</p>				
<p>[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.</p>				

Note: Please check the model information above according to the model name on the nameplate.