

OWNER'S MANUAL - PRODUCT FICHE					
RELATED OWNER'S MANUAL CODE: 16122300A10127					
Trade Mark		Carrier			
Model: Indoor		42QHC009D8S	42QTD009D8S	42QSS009D8S	
Model: Outdoor		38QUS018D8S2	38QUS018D8S2	38QUS018D8S2	
Sound power level at standard rating conditions (Indoor/Outdoor)		[dB(A)]	53/65	58/65	60/65
Refrigerant type			R32	R32	R32
GWP			675	675	675
Charge amount		[kg]	1.3	1.3	1.3
CO2 equivalent		[tonnes]	0.878	0.878	0.878
SEER		[W/W]	6.7	5.9	6.2
Energy efficiency class in cooling			A++	A+	A+
Annual electricity consumption in cooling [1]		[kWh/a]	271	308	294
Design load in cooling mode (Pdesign)		[kW]	5.20	5.20	5.20
SCOP (average heating season)		[W/W]	3.8	3.8	3.8
Energy efficiency class in heating (average season)			A	A	A
Annual electricity consumption in heating (average season) [2]		[kWh/a]	1768	1621	1658
Warmer heating season			_____	_____	_____
Colder heating season			_____	_____	_____
Design load in heating mode (Pdesign)		[kW]	4.80	4.40	4.50
Declared capacity at reference design condition (heating average season)		[kW]	3.68	4.16	3.50
Back up heating capacity at reference design condition (heating average season)		[kW]	0.120	0.240	1.000
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>					
Contains fluorinated greenhouse gases.					
<p>Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden</p>					
<p>Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong</p>					
<p>[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.</p>					

Note: Please check the model information above according to the model name on the nameplate.

OWNER'S MANUAL - PRODUCT FICHE				
RELATED OWNER'S MANUAL CODE: 16122300A10127				
Trade Mark		Carrier		
Model: Indoor		42QHC009D8S	42QTD009D8S	42QSS009D8S
Model: Outdoor		38QUS027D8S3	38QUS027D8S3	38QUS027D8S3
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	53/68	58/68	60/68
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	1.57	1.57	1.57
CO2 equivalent	[tonnes]	1.06	1.06	1.06
SEER	[W/W]	6.3	5.7	6.0
Energy efficiency class in cooling		A++	A+	A+
Annual electricity consumption in cooling [1]	[kWh/a]	428	473	443
Design load in cooling mode (Pdesign)	[kW]	7.70	7.70	7.60
SCOP (average heating season)	[W/W]	4.0	3.8	3.8
Energy efficiency class in heating (average season)		A+	A	A
Annual electricity consumption in heating (average season) [2]	[kWh/a]	2030	2100	2100
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	5.80	5.70	5.70
Declared capacity at reference design condition (heating average season)	[kW]	5.67	5.11	4.70
Back up heating capacity at reference design condition (heating average season)	[kW]	0.130	0.590	1.000
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

OWNER'S MANUAL - PRODUCT FICHE				
RELATED OWNER'S MANUAL CODE: 16122300A10127				
Trade Mark		Carrier		
Model: Indoor		42QHC009D8S	42QTD009D8S	42QSS009D8S
Model: Outdoor		38QUS036D8S4	38QUS036D8S4	38QUS036D8S4
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	53/70	58/70	60/70
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	2.1	2.1	2.1
CO2 equivalent	[tonnes]	1.418	1.418	1.418
SEER	[W/W]	6.5	5.7	6.0
Energy efficiency class in cooling		A++	A+	A+
Annual electricity consumption in cooling [1]	[kWh/a]	550	620	620
Design load in cooling mode (Pdesign)	[kW]	10.20	10.10	10.10
SCOP (average heating season)	[W/W]	3.8	3.8	3.8
Energy efficiency class in heating (average season)		A	A	A
Annual electricity consumption in heating (average season) [2]	[kWh/a]	3242	2984	2984
Warmer heating season		—	—	—
Colder heating season		—	—	—
Design load in heating mode (Pdesign)	[kW]	8.80	8.10	8.10
Declared capacity at reference design condition (heating average season)	[kW]	8.57	7.10	7.00
Back up heating capacity at reference design condition (heating average season)	[kW]	0.230	1.000	1.100
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

OWNER'S MANUAL - PRODUCT FICHE				
RELATED OWNER'S MANUAL CODE: 16122300A10127				
Trade Mark		Carrier		
Model: Indoor		42QHC009D8S	42QTD009D8S	42QSS009D8S
Model: Outdoor		38QUS042D8S5	38QUS042D8S5	38QUS042D8S5
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	53/73	58/73	60/73
Refrigerant type		R32	R32	R32
GWP		675	675	675
Charge amount	[kg]	2.4	2.4	2.4
CO2 equivalent	[tonnes]	1.620	1.620	1.620
SEER	[W/W]	6.8	5.7	5.8
Energy efficiency class in cooling		A++	A+	A+
Annual electricity consumption in cooling [1]	[kWh/a]	618	737	724
Design load in cooling mode (Pdesign)	[kW]	12.00	12.00	12.00
SCOP (average heating season)	[W/W]	3.8	3.8	3.8
Energy efficiency class in heating (average season)		A	A	A
Annual electricity consumption in heating (average season) [2]	[kWh/a]	3390	3389	3353
Warmer heating season		_____	_____	_____
Colder heating season		_____	_____	_____
Design load in heating mode (Pdesign)	[kW]	9.20	9.20	9.10
Declared capacity at reference design condition (heating average season)	[kW]	8.25	7.90	7.70
Back up heating capacity at reference design condition (heating average season)	[kW]	0.950	1.300	1.400
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.				
Contains fluorinated greenhouse gases.				
Importer: Beijer Ref AB Address: Stortorget 8, Malmö, Sweden				
Manufacturer: Century Carrier Residential Air-conditioning Equipment Co. Ltd Address: Room 505, 5/F, Tower 3, Enterprise Square, 9 Sheung Yuet Road, Kowloon Bay, Kowloon, Hong Kong				
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				

Note: Please check the model information above according to the model name on the nameplate.

